South Carolina Department of Health and Environmental Control
Office of Ocean and Coastal Resource Management
1362 McMillan Avenue, Suite 400
Charleston, South Carolina 29405

August 29, 2013 Permit Application Public Notice

Waterfront Plantation HPR, OCRM-13-225-D

The Department has received an application for a permit for the alteration of a critical area. The application was submitted pursuant to the Coastal Zone Management Act (Act 123) of 1977 South Carolina General Assembly. The application in brief, is described as follows:

LOCATION:

On and adjacent to Wappoo Creek at Waterfront Plantation Drive, Waterfront Plantation, James Island, Charleston County,

South Carolina. TMS: 343-04-00-098.

WORK:

The work as proposed consists of making additions to an existing community dock. Specifically, the applicant seeks to add a 7.5' x 20' drive-on floating boatlift landward of the floodside floating dock. The work as described is for additions to a


community dock.


This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by the Department can be based. Comments concerning the proposed work must be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

Comments regarding this application must be received by the Department on or before <u>September 28, 2013</u>. For more information, please contact **Jeff Thompson** at 843-953-0219 or via email at thompsdj@dhec.sc.gov.

NOTE:

Plans depicting the proposed work are available and will be provided upon receipt of a written request or may be viewed on the Department website at www.scdhec.gov/environment/ocrm/public notice.htm.





OCRM-13-225-D

